CONTENTS

Preface ..... *ix*

Deviations from idealised geometry: a comparison of microwave and electron diffraction data with ab initio calculations. Part I. Nitriles
M.H. Palmer (Edinburgh, Gt. Britain) 1

Ab initio vibrational spectra of HCN···HF and HF···HCN hydrogen-bonded dimers: mechanical and electrical anharmonicities
W.B. De Almeida, J.S. Craw and A. Hinchliffe (Manchester, Gt. Britain) 19

The lengthening of the H–X bond in B···H–X van der Waals complexes
M.O. Bulanin, V.P. Bulychev and K.G. Tokhadze (Leningrad, U.S.S.R.) 33

Spectra and structure of organophosphorus compounds. Part XLIII. Far-infrared spectra and ab initio calculations of ethylphosphine
J.R. Durig, M.S. Lee, R.J. Harlan and T.S. Little (Columbia, SC, U.S.A.) 41

Kinetics and mechanism of the enantiomerization of tetracoordinated boron chelate complexes
M.S. Korobov, G.S. Borodkin, N.I. Borisenko, T.A. Ryskina, L.E. Nivorozhkin and V.I. Minkin (Rostov-on-Don, U.S.S.R.) 61

IR continua of hydrogen bonds and hydrogen-bonded systems, calculated proton polarizabilities and line spectra
G. Zundel and M. Eckert (Munich, F.R.G.) 73

Conformers and vibrational spectra of pyruvic acid: an ab initio study
J. Murto, T. Raaska, H. Kunttu and M. Räsänen (Helsinki, Finland) 93

Atomic dynamics and molecular structure
A. Riera (Madrid, Spain) 103

Structure and energetics of weakly bound complexes: systems incorporating NH_3 and PH_3
S. Scheiner (Carbondale, IL, U.S.A.) 117

Etude par spectroscopie Raman et infrarouge des verres de pseudo-spin $Rb_{0,65}(NH_4)_{0,35}H_2PO_4$
N. Le Calve, F. Romain, M.H. Limage and A. Novak (Thiais, France) 131

Optimist and pessimist again, or six years after
L.A. Gribov (Moscow, U.S.S.R.) 149

Conformational aspects of α-hydroxy carboxylic acids, the heralds of stereochemistry
P.F.W. Stouten, L.M.J. Kroon-Batenburg and J. Kroon (Utrecht, The Netherlands) 169

Ab initio studies of structural features not easily amenable to experiment. Part 70. On the additivity principle in structure–conformation relations: quantitative predictions of some conformational structural trends in aliphatic ketones from acetone and butanone
L. Schäfer, K. Siam and J.D. Ewbank (Fayetteville, AR, U.S.A.) 189

Double proton transfer in the dihydroxyethylene–glyoxal complex
A. Tachibana, M. Koizumi, E. Tanaka, T. Yamabe, K. Fukui (Kyoto, Japan) and T. Minato (Ehime, Japan) 207

"If you want to be leader, think!"
N. Trinajstić (Galveston, TX, U.S.A.) 219

Photolysis of allene–ozone mixtures in cryogenic matrices. Part 2. Formation of propadienol
K.A. Singmaster and G.C. Pimentel (Berkeley, CA, U.S.A.) 225

Conformational analysis of n-butyl cyanide
G.A. Crowder (Canyon, TX, U.S.A.) 235

A different orbitals for different spins Hartree–Fock and many-body approach to high temperature superconductivity systems
J. Ladik and C.-M. Liegener (Erlangen, F.R.G.) 245

Enumeration of Kekulé structures: perforated rectangles
R.-S. Chen (Fujian, People's Republic of China) and S.J. Cyvin (Trondheim, Norway) 251

Waffles
S.J. Cyvin, J. Brunvoll and B.N. Cyvin (Trondheim, Norway), R. Tošić and M. Kovačević (Novi Sad, Yugoslavia) 261

How reliable are ab initio calculations? Experimental and theoretical investigation of the structure and conformation of chlorocarbonyl isocyanate, ClC(O)NCO
H.-G. Mack, H. Oberhammer (Tübingen, F.R.G.) and C.O. Della Védova (Bochum, F.R.G.) ... 277
Computerized infrared spectroscopy: beginnings and some stops by the wayside
R.N. Jones, H.H. Mantsch and D.J. Moffatt (Ottawa, Ont., Canada) ... 289
A critique of frontier orbital theory
M.J.S. Dewar (Austin, TX, U.S.A.) ... 301
Chemical ionization of chloromethanes for matrix isolation spectroscopy
J. Hacaloglu and L. Andrews (Charlottesville, VA, U.S.A.) ... 325
Electronic structures of electron donor–acceptor complexes: results from ultraviolet photoelectron spectroscopy and molecular orbital calculations
T. Pradeep and C.N.R. Rao (Bangalore, India) ... 339
Cl-nuclear quadrupole coupling in the microwave spectra of 1-chloroadamantane and t-butyl chloride
M.C. Ellis, A.C. Legon, C.A. Rego (Exeter, Gt. Britain) and D.J. Millen (London, Gt. Britain) ... 353
Two approaches to the computational determination of molecular stucture: the torsional angle in tolane and the effect of fluorination on the stucture of oxirane
S. Saebo, J. Almlöf (Minneapolis, MN, U.S.A.), J.E. Boggs and J.G. Stark (Austin, TX, U.S.A.) ... 361
Matrix isolation radiation chemistry and photochemistry: electronic absorption spectra of *o*-xylylene and benzocyclobutene radical cations; localization of Koopmans and non-Koopmans bands in the photoelectron spectra of *o*-xylylene, styrene, toluene, *o*-xylene and benzocyclobutene
K. Kesper, N. Münzel, W. Pietzuch, H. Specht and A. Schweig (Marburg, F.R.G.) ... 375
Rational design in genetic engineering: dream or reality? A priori predictions for thrombin and ribonuclease A mutants
G. Náray-Szabó, J. Nagy and A. Bérces (Budapest, Hungary) ... 401
Vibrational and conformational analysis of isopropylnitrite
B.J. van der Veken and R. Maas (Antwerp, Belgium) ... 413
The vibrational spectra, molecular structure and conformation of organic azides. Part XI. An ab initio, IR matrix isolation and Raman temperature study of 3-azidopropene (allylazide)
A. Gatial, P. Klaeboe, C.J. Nielsen and H. Priebe (Oslo, Norway) ... 443
The UHF extension of the quantum theory of valence and bonding
J.A. Medrano and R.C. Bochicchio (Buenos Aires, Argentina) ... 463
Near-infrared Hadamard transform Raman spectrometry
A.P. Bohlke, J.D. Tate, J.S. White, J.V. Paukstelis, R.M. Hammaker and W.G. Fateley (Manhattan, KS, U.S.A.) ... 471
Structure and bonding of hydrogen halide complexes: an ab initio calculation of the 1 : 1 species
Y. Hannachi and B. Silvi (Paris, France) ... 483
An infrared study of the effect of solvated electrons in liquid ammonia on wood surfaces
N.L. Owen and Z. Pawlak (Provo, UT, U.S.A.) ... 497
Ab initio molecular orbital calculations of the IR spectra of hydrogen bonded complexes of water, ammonia and hydroxylamine. Part 4. Two dimers of hydroxylamine
G.A. Yeo and T.A. Ford (Johannesburg, South Africa) ... 507
MNDO/H and AM1 calculations on the formic acid–methylamine complexes
J. Koller and D. Hadži (Ljubljana, Yugoslavia) ... 533
Bond polar parameters for dimethyl ether from ab initio MO calculations and experimental infrared intensities
S. Ilieva, B. Galabov (Sofia, Bulgaria) and J.R. Durig (Columbia, SC, U.S.A.) ... 543
The influence of molecular rigidity on enthalpy and entropy
P. Huyskens, P. Vandevijvere (Heverlee, Belgium) and G. Siegel (Mayaguëz, Puerto Rico) ... 555
The strange behaviour of the hydrogen bond complexes of 1,8-bis(dimethylamino) naphthalene in solution
Z. Pawelka (Wroclaw, Poland) and Th. Zeegers-Huyskens (Heverlee, Belgium) ... 565

On the complementarity of theoretical and experimental approaches to chemical problems
G. Leroy, M. Sana, C. Wilante and D. Peeters (Louvain-la-Neuve, Belgium) 575
$(NH)_6$ the amino-analog of cyclohexane: a laboratory for the understanding of lone-pair effects on molecular geometry
C.P. Blahous III and H.F. Schaefer III (Athens, GA, U.S.A.) 591

Author index 611

Subject index 613